

■ event_cfg Excerpted data

No garbage is added to the relevant data in the database.


```
(100063,'CecNdTrapDiChangeValue0',0,1,'接点監視異常が復旧しました。¥¥n日  
時:[CecNdAdminDateAndTime],¥¥nCH:%5,¥¥n状態:%7,¥¥n名称:%6¥¥n  
¥¥ndiChangeValue0:¥¥ndiValue=%2,¥¥nTime=%3,¥¥nTrapSeqNo=%4,¥¥ndiIndex=%5,¥¥ndiValue0Stri  
ng=%7,¥¥ndiType=%6','Cec ND Trap Di Change Value 0.¥r¥nParameters:¥r¥n 1) snmpTrapOID¥r¥n  
2) diValue¥r¥n 3) adminDateAndTime¥r¥n 4) adminNDTrapSeqNo¥r¥n 5) diIndex¥r¥n 6)  
diType¥r¥n 7) diValue0String¥r¥n','ef1c3c16-1959-ce47-a759-1f67363f9867')
```

■ Event Configuration

In the event configuration list, Garbage is added behind the message containing the multibyte character string.

No garbage is added behind messages that do not contain multibyte strings.

It seems that the contents of the explanation of the event on the first line are added to the garbage to be added.



■ Event Template

In the event template editing screen as well, Garbage is added behind the message containing the character string as with the event configuration.

No garbage is added behind messages that do not contain multibyte strings.

